Government of Saskatchewan
Ministry of Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 17, August 29, 2013

For the Period August 20 to 26, 2013

Harvest is underway in all regions of the province. Warm weather with very few rain interruptions over the past week has helped speed crop development. Five per cent of the 2013 provincial crop has been combined, while 14 per cent has been swathed or is ready to straight cut, according to Saskatchewan Agriculture's Weekly Crop Report.

While harvest is behind the five-year average for this time of year, above average yields are being reported for most areas. The five-year average (2008-2012) is 15 per cent combined and 22 per cent swathed or ready to straight cut. Harvest operations in the southwest region are the furthest ahead with 14 per cent of the 2013 crop combined.

Across the province, 34 per cent of peas, 20 per cent of lentils, 27 per cent of winter wheat and 10 per cent of mustard have been combined. Twenty-six per cent of canola has been swathed. Spring cereals are maturing and in some areas producers have started swathing or are ready to straight cut the crops.

One year ago
Twenty-one per cent of the 2012 crop had been combined while 27 per cent was swathed or ready to straight combine.

Follow the 2013 Crop Report on Twitter @SKGovAg

Harvest Progress in SK Per cent combined	
All Crops	
Aug 19/13	5
5 year avg. (2008-2012)	15
Aug 27/12	21
Aug 30/11	21
Aug 31/10	8
Aug 25/09	3
Aug 31/08	20

Rain recorded in the province last week ranged from nil to 31 mm. Grasshoppers and bertha armyworm caused some of the reported crop damage.

Farmers in all regions are busy swathing, desiccating, combining and cutting and baling greenfeed.

Saskatchewan Crop Insurance Reminder
The deadline to seed fall rye and winter wheat and be eligible for winterkill insurance is September 15.

**Correction for August 22, 2013, Crop Report: Harvest progress for 2008 should have read August 24/08.*

For further information, contact: Daphne Cruise, PAg,
Regional Crop Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Provincial Estimated Crop Yields- August 26, 2013*							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
Southeast	41	43	42	37	66	60	23
Southwest	38	35	35	37	59	55	22
East-Central	46	35	40	35	78	62	25
West-Central	39	26	39	41	70	58	28
Northeast	40	35	39	N/A	82	61	24
Northwest	38	30	42	N/A	81	65	25
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
Southeast	33	1000	33	11	1100	1000	N/A
Southwest	30	1200	41	1600	1100	1500	N/A
East-Central	33	1200	41	1500	1200	1100	N/A
West-Central	33	1200	44	1400	1100	N/A	N/A
Northeast	30	N/A	31	N/A	N/A	N/A	N/A
Northwest	36	N/A	40	N/A	N/A	N/A	N/A

* Crop yield predictions at this point in time. Please keep in mind these are regional averages, and yields can vary greatly across an area. Mustard, lentil, canaryseed, chickpea and sunflower in lbs/ac. All other crops in bu/ac.

Saskatchewan Harvest Progress August 26, 2013

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined
southeast	35	33	14	18
southwest	30	5	27	38
east-central	38	15	15	32
west-central	33	2	26	39
northeast	53	0	28	19
northwest	N/A	N/A	N/A	N/A

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined
southeast	96	1	2	1
southwest	85	4	7	4
east-central	96	3	1	0
west-central	92	6	2	0
northeast	99	1	0	0
northwest	97	3	0	0

Durum	% Standing	% in swath	% ready to straight combine	% combined
southeast	98	0	1	1
southwest	89	3	6	2
east-central	94	6	0	0
west-central	98	1	1	0
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A

Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	97	2	0	0	1
southwest	81	1	5	0	13
east-central	98	2	0	0	0
west-central	90	5	2	0	3
northeast	99	1	0	0	0
northwest	96	1	0	0	3

Barley	% Standing	% in swath	% ready to straight combine	% combined
southeast	92	3	3	2
southwest	82	2	10	6
east-central	90	5	3	2
west-central	91	6	2	1
northeast	94	5	1	0
northwest	97	3	0	0

Lentils	% Standing	% in swath	% ready to straight combine	% combined
southeast	61	19	0	20
southwest	54	7	15	24
east-central	94	2	3	1
west-central	61	6	14	19
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A

Peas	% Standing	% in swath	% ready to straight combine	% combined
southeast	43	14	17	26
southwest	22	0	22	56
east-central	48	12	22	18
west-central	48	6	25	21
northeast	94	1	5	0
northwest	91	1	3	5

Canola	% Standing	% in swath	% ready to straight combine	% combined
southeast	60	36	1	3
southwest	36	51	3	10
east-central	80	20	0	0
west-central	57	42	0	1
northeast	94	6	0	0
northwest	90	10	0	0

Mustard	% Standing	% in swath	% ready to straight combine	% combined
southeast	N/A	N/A	N/A	N/A
southwest	49	25	4	22
east-central	90	9	1	0
west-central	91	9	0	0
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

The region has four per cent of the 2013 crop combined, and 16 per cent swathed or ready to straight cut. The warm weather over the past several days has helped speed crop development. The majority of the region recorded very little rain. The Lampman area reported 5 mm.

Topsoil moisture conditions on cropland are rated as two per cent surplus, 84 per cent adequate, 12 per cent short and two per cent very short. Hay land and pasture moisture is rated as two per cent surplus, 73 per cent adequate, 24 per cent short and one per cent very short.

Very little crop damage was reported this past week. Grasshoppers are causing the majority of the reported crop damage. In some areas, the lack of rain over the past few weeks has caused some moisture stress on the later seeded crops and in pastures. Yields are looking to be above average; however, crop yield will vary depending on seeding date and weather conditions throughout the growing season. Producers are busy with harvest operations.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Fourteen per cent of the 2013 crop has been combined, and 18 per cent has been swathed or is ready to straight cut. Most crop reporters are indicating yields are estimated to be above average this year. Rain recorded in the region ranged from nil to 6 mm (Mortlach area).

Cropland topsoil moisture is rated as 58 per cent adequate, 33 per cent short and nine per cent very short. Hay land and pasture topsoil moisture is rated as 53 per cent adequate, 42 per cent short and five per cent very short. Crop district 4B is reporting 47 per cent very short of topsoil moisture on crop and hayland. Crop reporters are indicating soil conditions are very dry and some rain would be good to help fill some of the later crops and relieve pastures of some moisture stress.

Grasshoppers are causing the majority of crop damage on some of the later seeded crops. Crop reporters are indicating a high grasshopper population but damage is minimal on the mature crops. Farmers are busy with harvest operations.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Two per cent of the crop has been combined, and 12 per cent has been swathed or is ready to straight cut. Thirty-two per cent of winter wheat, 18 per cent of peas and one per cent of lentils have been combined. Twenty per cent of the canola has been swathed. Recorded rainfall in the region ranged from nil to 19 mm (Foam Lake area). Most areas in the region reported no rain during the past week.

Cropland topsoil moisture is rated as 52 per cent adequate, 43 per cent short and five per cent very short. Hay land and pasture topsoil moisture is rated as 46 per cent adequate, 45 per cent short and nine per cent very short.

Some crop damage this week was caused due bertha armyworms and grasshoppers. Some producers are finding high populations of bertha armyworms warranting control, particularly in Crop District 5B. Crop reporters are indicating bertha armyworm thresholds vary greatly within a small area. Farmers are busy with harvest operations and getting equipment ready.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

Two per cent of the crop has been combined, and 19 per cent has been swathed or is ready to straight cut. Thirty-nine per cent of winter wheat, 21 per cent of peas and 19 per cent of lentils have been combined. Forty-two per cent of canola has been swathed. Very little rain was recorded for the week, allowing producers to get a good start on harvest. Of the crop that has been harvested, crop reporters are indicating yields are above average for most areas of the region. Rain recorded ranged from nil to 10 mm (Biggar area). Soil conditions are very dry in the region as most areas have not had a significant amount of rain for a month or more.

Topsoil moisture conditions are rated as 46 per cent adequate, 44 per cent short and 10 per cent very short on cropland. Hay land and pasture topsoil moisture conditions are rated as 35 per cent adequate, 46 per cent short and 19 per cent very short. All crop districts in the region are reporting more than one third of the crop and hay land is short of topsoil moisture.

Very little crop damage was reported in the region. Dry conditions are causing the majority of crop stress. Producers are busy with harvest operations.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Harvest operations are starting in the region. Nineteen per cent of winter wheat has been combined. Six per cent of peas and barley have been swathed or are ready to straight cut. Six per cent of canola has been swathed. Very little rain was reported in the region allowing producers to get a start on harvest.

Topsoil moisture on cropland is rated as two per cent surplus, 74 per cent adequate, 22 per cent short and two per cent very short. Topsoil moisture on hay land and pasture is reported as eight per cent surplus, 73 per cent adequate, 17 per cent short and two per cent very short.

Bertha armyworms are causing the majority of crop damage, particularly in Crop District 8A. Some localized areas have reached economic thresholds and producers are applying crop protection products. Producers are busy getting ready for harvest.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Harvest operations are underway. Five per cent of peas have been combined and 10 per cent of canola has been swathed. Desiccating of peas and wheat continues for producers. Most areas received some much needed moisture over the past week. Other areas are indicating soil conditions are very dry and at least a half inch of rain would go a long way to help fill the later seeded crops and relieve pastures of moisture stress. Rain was reported for the region ranged from nil to 31 mm (Goodsoil area). Warm weather will be needed well into September to get the majority of the crop off the field in good condition.

Topsoil moisture on cropland is rated as one per cent surplus, 69 per cent adequate, 16 per cent short and 14 per cent very short. Topsoil moisture on hay land and pasture is reported as 63 per cent adequate, 24 per cent short and 13 per cent very short.

The majority of crop damage this week is attributed to grasshoppers and dry conditions. Grasshoppers are causing damage in some of the later seeded crops. Producers are busy getting ready for harvest.

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending August 26, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 28, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period August 20 to 26, 2013

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	NIL	286
	3	Enniskillen	NIL	391
	33	Moose Creek	N/A	241
	34	Browning	5	266
	61	Antler	N/A	502
	63	Moose Mountain	4	388
	64	Brock	NIL	242
	65	Tecumseh	NIL	361
1B	91	Maryfield	NIL	268
	92	Walpole	N/A	80
	122	Martin	NIL	367
	123	Silverwood	NIL	282
	124	Kingsley	NIL	175
	125 A	Chester	NIL	250
	125 B	Chester	NIL	235
	151 A	Rocanville	NIL	258
	151 B	Rocanville	NIL	228
	153	Willowdale	N/A	N/A
	154	Elcapo	NIL	262
	155 A	Wolseley	NIL	251
	155 B	Wolseley	NIL	215
2A	67	Weyburn	N/A	301
	68	Brokenshell	NIL	330
	97	Wellington	NIL	204
	99	Caledonia	N/A	N/A
2B	127 A	Francis	NIL	273
	127 B	Francis	NIL	216
	129	Bratt's Lake	0.5	230
	131 A	Baildon	NIL	334
	131 B	Baildon	N/A	332
	156 A	Indian Head	NIL	254
	156 B	Indian Head	N/A	359
	160 A	Pense	N/A	298
	160 B	Pense	2	245
	161	Moose Jaw	N/A	315
	162	Caron	N/A	278
	191	Marquis	N/A	162
3ASE	38 A	Laurier	NIL	356
	38 B	Laurier	NIL	267
	39 A	The Gap	NIL	345
	39 B	The Gap	NIL	304
3ASW	10	Happy Valley	NIL	221
	11	Hart Butte	N/A	205
	12	Poplar Valley	N/A	296
	40 A	Bengough	N/A	313
	40 B	Bengough	NIL	504
	42	Willow Bunch	N/A	289
	43 A	Old Post	NIL	324
	43 B	Old Post	N/A	N/A
	70	Key West	N/A	84
	71	Excel	N/A	208
	72 A	Lake of the Rivers	N/A	N/A
	72 B	Lake of the Rivers	N/A	135
	73 A	Stonehenge	NIL	334
	73 B	Stonehenge	NIL	279
	74 A	Wood River	NIL	307
	74 B	Wood River	N/A	3
	74 C	Wood River	N/A	N/A
3AN	101	Terrell	NIL	224
	102	Lake Johnston	4.09	179
	103 A	Sutton	NIL	248
	103 B	Sutton	N/A	N/A
	132 A	Hillsborough	NIL	269
	132 B	Hillsborough	6	293
	134	Shamrock	N/A	284
	164 A	Chaplin	NIL	205
	164 B	Chaplin	N/A	N/A
	193 A	Eyebrow	NIL	209
	193 B	Eyebrow	N/A	211
	194	Enfield	N/A	N/A
	224	Maple Bush	NIL	199
3BS	17 A	Val Marie	8	359
	17 B	Val Marie	N/A	N/A
	45	Mankota	1	375
	75 A	Pinto Creek	2	253
	75 B	Pinto Creek	N/A	267
	76	Auvergne	2	233
	77	Wise Creek	NIL	316
	78 A	Grassy Creek	NIL	351
	78 B	Grassy Creek	5	291
	105	Glenbain	NIL	251
	106	Whiska Creek	NIL	222
	107 A	Lac Pelletier	N/A	226
	107 B	Lac Pelletier	N/A	44
	108	Bone Creek	4	331

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
3BN	136 A	Webb	NIL	269
	136 B	Webb	NIL	231
	166 A	Excelsior	NIL	258
	166 B	Excelsior	N/A	N/A
	167	Sask. Landing	1.6	235
	168 A	Riverside	NIL	222
	168 B	Riverside	0.8	283
	226 A	Victory	N/A	168
	226 B	Victory	N/A	30
	228	Lacadena	NIL	212
	255	Coteau	NIL	145
	257	Monet	NIL	266
4A	19	Frontier	N/A	N/A
	49	White Valley	NIL	273
	51 A	Reno	0.3	254
	51 B	Reno	N/A	N/A
	79	Arlington	N/A	376
	109	Carmichael	N/A	261
	110	Piapot	NIL	230
	111	Maple Creek	N/A	268
4B	139	Gull Lake	NIL	221
	141	Big Stick	NIL	208
	142	Enterprise	NIL	232
	169	Pittville	N/A	231
	231	Happyland	NIL	164
5A	183 A	Fertile Belt	N/A	356
	183 B	Fertile Belt	NIL	281
	186	Abernethy	8	177
	211	Churchbridge	5	282
	213	Saltcoats	2	294
	214	Cana	N/A	25
	216	Tullymet	N/A	182
	217 A	Lipton	N/A	N/A
	241	Calder	NIL	279
	243	Wallace	N/A	277
	245 A	Garry	N/A	261
	245 B	Garry	NIL	222
	245 C	Garry	NIL	211
	246	Ituna Bon Accord	NIL	204
	247	Kellross	NIL	224
	248	Touchwood	3	175
5B	271	Cote	1	305
	273	Sliding Hills	NIL	200
	277	Emerald	19	235
	305	Invermay	13	317
	307	Elfros	2	234
	308 A	Big Quill	NIL	187
	308 B	Big Quill	4	242
	331	Livingston	2	310
	333	Clayton	N/A	39
	334	Preeceville	NIL	197
	336	Sasman	N/A	175
	337 A	Lakeview	NIL	253
	337 B	Lakeview	N/A	22
	338	Lakeside	NIL	230
	366	Kelvington	1	211
	367	Ponass Lake	NIL	225
6A	190 A	Dufferin	2	238
	190 B	Dufferin	NIL	195
	190 C	Dufferin	NIL	213
	190 D	Dufferin	N/A	42
	190 E	Dufferin	N/A	84
	219	Longlaketon	N/A	225
	220	Mckillop	NIL	281
	221	Sarnia	2	248
	222	Craik	NIL	286
	251	Big Arm	1	269
	252	Arm River	NIL	293
	279	Mount Hope	2	213
	282	McCraney	5	239
	309	Prairie Rose	N/A	256
	310	Usborne	N/A	N/A
	313	Lost River	N/A	239
	339	Leroy	0.2	265
	340	Wolverine	NIL	296
	341	Viscount	NIL	286
	343 A	Blucher	NIL	255
	343 B	Blucher	NIL	105
6B	283	Rosedale	N/A	214
	284	Rudy	NIL	213
	285	Fertile Valley	3	191
	286	Milden	NIL	199
	314	Dundurn	NIL	221
	344	Corman Park	NIL	149
	346	Perdue	N/A	207
	376 A	Eagle Creek	NIL	149
	376 B	Eagle Creek	NIL	187
	403 A	Rosthern	N/A	191
	403 B	Rosthern	NIL	230

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	259	Snipe Lake	NIL	184
	260 A	Newcombe	N/A	105
	260 B	Newcombe	N/A	169
	261	Chesterfield	N/A	56
	287	St. Andrews	3	223
	288	Pleasant Valley	3	218
	290 A	Kindersley	NIL	186
	290 B	Kindersley	N/A	88
	290 C	Kindersley	N/A	207
	292	Milton	NIL	258
	317 A	Marriott	N/A	147
	317 B	Marriott	N/A	185
	317 C	Marriott	N/A	N/A
	318	Mountain View	3	257
	320 A	Oakdale	N/A	206
	320 B	Oakdale	3	183
	321	Prairiedale	NIL	155
7B	347 A	Biggar	NIL	183
	347 B	Biggar	10	246
	350 A	Mariposa	4	134
	350 B	Mariposa	2	233
	351	Progress	1	208
	352	Heart's Hill	NIL	300
	377	Glenside	NIL	194
	378 A	Rosemount	3	166
	378 B	Rosemount	NIL	218
	379	Reford	3	186
	381	Grass Lake	N/A	188
	382	Eye Hill	NIL	194
	409 A	Buffalo	N/A	248
	409 B	Buffalo	N/A	N/A
	410	Round Valley	NIL	164
	411	Senlac	N/A	N/A
8A	395	Porcupine	N/A	194
	397	Barrier Valley	NIL	200
	428	Star City	NIL	286
	456	Arborfield	NIL	248
	457	Connaught	NIL	282
	458	Willow Creek	NIL	210
	486	Moose Range	NIL	247
	487 A	Nipawin	NIL	214
	487 B	Nipawin	N/A	N/A
8B	369	St. Peter	2	209
	370	Humboldt	NIL	220
	371	Bayne	N/A	293
	372	Grant	NIL	346
	400 A	Three Lakes	N/A	3
	400 B	Three Lakes	N/A	291
	402	Fish Creek	NIL	263
	429	Flett's Springs	NIL	296
	431	St. Louis	N/A	N/A
	459	Kinistino	N/A	301
	460	Birch Hills	N/A	237
9AE	461	Prince Albert	N/A	22
	488	Torch River	N/A	301
	491	Buckland	NIL	314
9AW	406	Mayfield	NIL	197
	435	Redberry	N/A	212
	436	Douglas	NIL	202
	463	Duck Lake	NIL	272
	466	Meeting Lake	N/A	N/A
	467 A	Round Hill	NIL	309
	467 B	Round Hill	N/A	215
	494	Canwood	N/A	N/A
	496 A	Spiritwood	N/A	N/A
	496 B	Spiritwood	N/A	131
	497	Medstead	4	263
9B	438	Battle River	NIL	266
	440	Hillsdale	NIL	241
	442	Manitou Lake	0.6	308
	498 A	Parkdale	1	199
	498 B	Parkdale	5	195
	499 A	Mervin	4	304
	499 B	Mervin	N/A	24
	501 A	Frenchman Butte	8	304
	501 B	Frenchman Butte	2	254
	501 C	Frenchman Butte	15	232
	502 A	Britannia	N/A	N/A
	502 B	Britannia	6	208
	561	Loon Lake	16	206
	588 A	Meadow Lake	8	222
	588 B	Meadow Lake	31	309
	588 C	Meadow Lake	20	337
	588 D	Meadow Lake	32.5	237
	588 E	Meadow Lake	N/A	N/A
	622	Beaver River	24	228

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: August 26, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 28, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

August 27, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 28, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

August 27, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: August 28, 2013

© 2013 Government of Saskatchewan